

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Last review: 28 Jul 2025

Print date: 26 Jan 2026

Version: 1

Page 1/10



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

LiGreen Exan

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

LiGreen Exan - Item No.:1337 - 12x1l/Item No.:1338 - 10l

UFI:

ONT2-VFG6-FC0Q-EHWC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Alkoholreiniger

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

E.MAYR Reinigungstechnik GesmbH

Ortsstraße 285

A-2331 Vösendorf

Austria

Telephone: +43 (0) 1 699 17 64 -0

Telefax: +43 (0) 1 699 17 64 - 33

E-mail: office@e-mayr.at

Website: www.reinaberrichtig.at

1.4. Emergency telephone number

24h: Poison Control Center for Austria (VIZ): Tel. +43 (0)1 406 43 43-0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard statements for health hazards

H319	Causes serious eye irritation.
------	--------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Last review: 28 Jul 2025

Print date: 26 Jan 2026

Version: 1

Page 2/10



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

LiGreen Exan

Supplemental hazard information: none

Precautionary statements Prevention

P264	Wash hands thoroughly after handling.
P280	Wear protective gloves and eye protection/face protection.

Precautionary statements Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

aqueous solution

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64-17-5 EC No.: 200-578-6 Index No.: 603-002-00-5 REACH No.: 01-2119457610-43-XXXX	ethanol Flam. Liq. 2 (H225) Danger Acute Toxicity Estimate ATE (oral) 10,470 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) 51 mg/L	4 - < 8 weight-%
CAS No.: 68891-38-3 EC No.: 500-234-8 REACH No.: 01-2119488639-16	Fettalkohol-C12/14-ethersulfat, Natriumsalz Aquatic Chronic 3 (H412), Eye Dam. 1 (H318), Skin Irrit. 2 (H315) Danger Specific concentration limit (SCL) Eye Irrit. 2; H319: 5% ≤ C < 10% Eye Dam. 1; H318: 10% ≤ C < 100% Acute Toxicity Estimate ATE (oral) 4,100 mg/kg ATE (dermal) > 2,000 mg/kg	1 - ≤ 2.52 weight-%
CAS No.: 69011-36-5	Isotridecanol,ethoxylated Acute Tox. 4 (H302), Eye Dam. 1 (H318) Danger Acute Toxicity Estimate ATE (oral) 300 - 2,000 mg/kg ATE (dermal) > 2,000 mg/kg	1 - ≤ 1.8 weight-%
CAS No.: 770-35-4 EC No.: 212-222-7	1-phenoxypropan-2-ol Eye Irrit. 2 (H319) Warning Acute Toxicity Estimate ATE (oral) > 2,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) > 5 mg/L	0 - ≤ 1.5 weight-%
CAS No.: 68515-73-1 EC No.: 500-220-1 REACH No.: 01-2119488530-36	D-Glucopyranose, Oligomere, Decyloctylglycoside Eye Dam. 1 (H318) Danger	0 - ≤ 1.4 weight-%
CAS No.: 78-93-3 EC No.: 201-159-0 Index No.: 606-002-00-3 REACH No.: 01-2119457290-43-XXXX	butanone Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) Danger EUH066	0 - ≤ 0.08 weight-%

Full text of H- and EUH-phrases: see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Last review: 28 Jul 2025

Print date: 26 Jan 2026

Version: 1

Page 3/10



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

LiGreen Exan

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

If skin irritation or rash occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Adjust to the environment

Unsuitable extinguishing media:

There are no restrictions on extinguishing agents for this mixture

5.2. Special hazards arising from the substance or mixture

Contains combustible substance. Vapors are heavier than air and spread along floors. Explosive mixtures with air are possible even at normal temperatures. on Watch out for flashback. In case of fire hazardous combustion gases or vapors possible.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Do not inhale vapors / aerosols. Special danger of slipping by leaking/spilling product. Use personal protection equipment.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Last review: 28 Jul 2025

Print date: 26 Jan 2026

Version: 1



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 4/10

LiGreen Exan

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Avoid: Inhalation of vapours or spray/mists Eye contact

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Industrial sector specific solutions:

Maintenance cleaner, contains solvents, irritant

GISCODE:

GU80

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	ethanol CAS No.: 64-17-5 EC No.: 200-578-6	① 1,000 ppm (1,900 mg/m ³)
MAK (AT)	ethanol CAS No.: 64-17-5 EC No.: 200-578-6	② 2,000 ppm (3,800 mg/m ³) ⑤ (max. 3x60 min./Schicht, Momentanwert)
MAK (AT) from 25 Sept 2018	2-phenoxyethanol CAS No.: 122-99-6 EC No.: 204-589-7	① 20 ppm (110 mg/m ³) ② 20 ppm (110 mg/m ³) ⑤ (Momentanwert)
MAK (AT)	butanone CAS No.: 78-93-3 EC No.: 201-159-0	① 100 ppm (295 mg/m ³) ⑤ (kann über die Haut aufgenommen werden) H

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Last review: 28 Jul 2025

Print date: 26 Jan 2026

Version: 1



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 5/10

LiGreen Exan

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	butanone CAS No.: 78-93-3 EC No.: 201-159-0	② 200 ppm (590 mg/m ³) ⑤ (max. 4x30 min./Schicht, kann über die Haut aufgenommen werden) H
IOELV (EU)	butanone CAS No.: 78-93-3 EC No.: 201-159-0	① 200 ppm (600 mg/m ³) ② 300 ppm (900 mg/m ³)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Respiratory protection necessary at: aerosol or mist formation Filter type: A2 P2

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: green

Odour: characteristic

flammability: No data available

Safety relevant basis data

Parameter	Value	① Method ② Remark
pH	8.5 - 9	
Melting point	No data available	
Freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	No data available	
Evaporation rate	No data available	
Auto-ignition temperature	No data available	
Upper/lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Density	≈ 1	
Bulk density	not applicable	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Last review: 28 Jul 2025

Print date: 26 Jan 2026

Version: 1



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 6/10

LiGreen Exan

Parameter	Value	① Method ② Remark
Water solubility	miscible	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive mixtures with air are possible on intense heating.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Avoid high temperatures or direct sunlight.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ethanol CAS No.: 64-17-5 EC No.: 200-578-6
LD₅₀ oral: 10,470 mg/kg (Ratte)
LD₅₀ dermal: >2,000 mg/kg (Kaninchen)
LC₅₀ Acute inhalation toxicity (vapour): 51 mg/L 4 h (Ratte)
Fettalkohol-C12/14-ethersulfat, Natriumsalz CAS No.: 68891-38-3 EC No.: 500-234-8
LD₅₀ oral: 4,100 mg/kg (Ratte)
LD₅₀ dermal: >2,000 mg/kg (Ratte)
Isotridecanol,ethoxylated CAS No.: 69011-36-5
LD₅₀ oral: 300 - 2,000 mg/kg (Ratte)
LD₅₀ dermal: >2,000 mg/kg (Ratte)
1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7
LD₅₀ oral: >2,000 mg/kg (Ratte)
LD₅₀ dermal: >2,000 mg/kg (Ratte)
LC₅₀ Acute inhalation toxicity (vapour): >5 mg/L 4 h (Ratte)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Last review: 28 Jul 2025

Print date: 26 Jan 2026

Version: 1

Page 7/10



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

LiGreen Exan

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

ethanol CAS No.: 64-17-5 EC No.: 200-578-6
LC ₅₀ : 5,012 mg/L 2 d (Algae/water plant, Ceriodaphnia dubia (Wasserfloh))
EC ₅₀ : 275 mg/L 3 d (Algae/water plant, Chlorella vulgaris) OECD- Prüfrichtlinie 201
Fettalkohol-C12/14-ethersulfat, Natriumsalz CAS No.: 68891-38-3 EC No.: 500-234-8
LC ₅₀ : 7.1 mg/L 4 d (fish)
LC ₅₀ : 7.1 mg/L 4 d (fish, Danio rerio (previous name: Brachydanio rerio))
LC ₅₀ : 1.17 mg/L 4 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)
EC ₅₀ : 7.2 mg/L 2 d (Daphnia magna)
EC ₅₀ : 27.7 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (previous name: Scenedesmus subspicatus))
EC ₅₀ : 7.4 mg/L 2 d (crustaceans, Daphnia magna)
NOEC: 0.27 mg/L 21 d (Daphnia magna)
NOEC: 0.95 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (previous name: Scenedesmus subspicatus))
NOEC: 0.14 mg/L 28 d (fish, Oncorhynchus mykiss (previous name: Salmo gairdneri))
NOEC: 0.27 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)
Isotridecanol,ethoxylated CAS No.: 69011-36-5
LC ₅₀ : >1 - 10 mg/L 4 d (fish, Leuciscus idus)
LC ₅₀ : >1 - 10 mg/L (fish, Daphnia magna)
LC ₅₀ : >1 - 10 mg/L (fish)
EC ₅₀ : >1 - 10 mg/L 2 d (crustaceans)
EC ₅₀ : >1 - 10 mg/L 3 d (Algae/water plant)
EC ₅₀ : >1 - 10 mg/L 2 d (fish, Daphnia magna)
EC ₅₀ : 3.4 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)) EU Method C.3 (Algal Inhibition test)
NOEC: >1 mg/L 21 d (crustaceans)
NOEC: >1 mg/L (Algae/water plant, Daphnia magna)
NOEC: 0.218 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)
1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7
LC ₅₀ : >100 mg/L 4 d (fish, Belebtschlamm)
EC ₅₀ : >100 mg/L 2 d (fish)
EC ₅₀ : >100 mg/L 3 d (Scenedesmus subspicatus)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Last review: 28 Jul 2025

Print date: 26 Jan 2026

Version: 1



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 8/10

LiGreen Exan

butanone CAS No.: 78-93-3 EC No.: 201-159-0

LC₅₀: 2,993 mg/L 4 d (fish, Pimephales promelas) OECD Prüfrichtlinie 203

EC₅₀: 308 mg/L 2 d (crustaceans, Daphnia magna) OECD-Prüfrichtlinie 202

12.2. Persistence and degradability

ethanol CAS No.: 64-17-5 EC No.: 200-578-6

Biodegradation: Yes, rapidly

butanone CAS No.: 78-93-3 EC No.: 201-159-0

Biodegradation: Yes, rapidly

12.3. Bioaccumulative potential

ethanol CAS No.: 64-17-5 EC No.: 200-578-6

Log K_{ow}: -0.35

Bioconcentration factor (BCF): 0.66

Fettalkohol-C12/14-ethersulfat, Natriumsalz CAS No.: 68891-38-3 EC No.: 500-234-8

Log K_{ow}: 0.3

Isotridecanol,ethoxylated CAS No.: 69011-36-5

Log K_{ow}: 6.4

Bioconcentration factor (BCF): 387.5 mL

butanone CAS No.: 78-93-3 EC No.: 201-159-0

Log K_{ow}: 0.3

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

ethanol CAS No.: 64-17-5 EC No.: 200-578-6

Results of PBT and vPvB assessment: —

Fettalkohol-C12/14-ethersulfat, Natriumsalz CAS No.: 68891-38-3 EC No.: 500-234-8

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Isotridecanol,ethoxylated CAS No.: 69011-36-5

Results of PBT and vPvB assessment: —

1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7

Results of PBT and vPvB assessment: —

D-Glucopyranose, Oligomere, Decyloctylglycoside CAS No.: 68515-73-1 EC No.: 500-220-1

Results of PBT and vPvB assessment: —

butanone CAS No.: 78-93-3 EC No.: 201-159-0

Results of PBT and vPvB assessment: —

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Last review: 28 Jul 2025

Print date: 26 Jan 2026

Version: 1



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 9/10

LiGreen Exan

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

07 06 01 *	(07) WASTES FROM ORGANIC CHEMICAL PROCESSES (06) Wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics (01 *) aqueous washing liquids and mother liquors
20 01 29 *	(20) MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS (01) separately collected fractions (except 15 01) (29 *) Detergents containing hazardous substances

*: Evidence for disposal must be provided.

Waste code packaging

Remark:

Plastic packaging

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Labelling for contents according to regulation (EC) No. 648/2004
<5% non-ionic surfactants, anionic surfactants, soap, perfumes,
2-phenoxyethanol

15.1.2. National regulations

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Last review: 28 Jul 2025

Print date: 26 Jan 2026

Version: 1

Page 10/10



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

LiGreen Exan

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

Substance name	Type	source of supply
1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7	Classification of the substance or mixture	Source: European Chemicals Agency, http://echa.europa.eu/
Fettalkohol-C12/14-ethersulfat, Natriumsalz CAS No.: 68891-38-3 EC No.: 500-234-8	LC ₅₀ ; EC ₅₀ ; NOEC	Source: European Chemicals Agency, http://echa.europa.eu/
Isotridecanol, ethoxylated CAS No.: 69011-36-5	EC ₅₀ ; NOEC	Source: European Chemicals Agency, http://echa.europa.eu/

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information	
EUH066	Repeated exposure may cause skin dryness or cracking.

16.6. Training advice

No data available

16.7. Additional information

The information is based on our current level of knowledge and is used to describe the product with regard to the safety precautions to be taken. They do not represent a guarantee of the properties of the product described.

It is the responsibility of the recipient of our product to observe existing laws and regulations.