

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Feb 2026

Print date: 2 Mar 2026

Version: 2



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 1/10

## Exakt Tableclean fresh

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Exakt Tableclean fresh - Item No.:2709

Article No.:

2709

UFI:

Y0PX-815S-FWG6-80H7

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Cleaning agent

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

E.MAYR Reinigungstechnik GesmbH

Ortsstraße 285

A-2331 Vösendorf

Austria

Telephone: +43 (0) 1 699 17 64 -0

Telefax: +43 (0) 1 699 17 64 - 33

E-mail: office@e-mayr.at

Website: www.e-mayr.at

#### 1.4. Emergency telephone number

Poison Information Center for Austria Phone: 01/406 43 43-0

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	Calculation method.
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Feb 2026

Print date: 2 Mar 2026

Version: 2



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 2/10

## Exakt Tableclean fresh

### Hazard components for labelling:

Alcohols, C12-14, ethoxylated; 2-(2-butoxyethoxy)ethanol; (R)-p-mentha-1,8-diene

#### Hazard statements for health hazards

H319 Causes serious eye irritation.

#### Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

#### Supplemental hazard information

EUH208 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

#### Precautionary statements Prevention

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves and eye protection/face protection.

#### Precautionary statements Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 112-34-5 EC No.: 203-961-6 Index No.: 603-096-00-8 REACH No.: 01-2119475104-44-XXXX	<b>2-(2-butoxyethoxy)ethanol</b> Eye Irrit. 2 (H319) ⚠ Warning <b>Acute Toxicity Estimate</b> ATE (oral) 2,410 mg/kg ATE (dermal) 2,764 mg/kg	10 - < 55 weight-%
CAS No.: 64-17-5 EC No.: 200-578-6 Index No.: 603-002-00-5 REACH No.: 01-2119457610-43-XXXX	<b>ethanol</b> Flam. Liq. 2 (H225) ⚠ Danger <b>Acute Toxicity Estimate</b> ATE (oral) 10,470 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) 51 mg/L	2 - ≤ 5 weight-%
CAS No.: 68439-50-9 EC No.: 500-213-3	<b>Alcohols, C12-14, ethoxylated</b> Aquatic Chronic 3 (H412), Eye Dam. 1 (H318) ⚠ Danger <b>Acute Toxicity Estimate</b> ATE (oral) > 2,000 mg/kg ATE (dermal) > 2,000 mg/kg	1 - ≤ 3 weight-%
CAS No.: 5989-27-5 EC No.: 227-813-5 REACH No.: 01-2119529223-47	<b>(R)-p-mentha-1,8-diene</b> Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Flam. Liq. 3 (H226), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) ⚠ ⚠ ⚠ Warning <b>Specific concentration limit (SCL)</b> Skin Sens. 1; H317: C ≥ 1% Skin Irrit. 2; H315: C ≥ 10%	0 - ≤ 1 weight-%
CAS No.: 78-93-3 EC No.: 201-159-0 Index No.: 606-002-00-3 REACH No.: 01-2119457290-43-XXXX	<b>butanone</b> Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) ⚠ ⚠ Danger EUH066	0 - ≤ 0.1 weight-%

Full text of H- and EUH-phrases: see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 18 Feb 2026

**Print date:** 2 Mar 2026

**Version:** 2



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 3/10

## Exakt Tableclean fresh

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

##### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

##### In case of skin contact:

If skin irritation or rash occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

##### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

##### Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

##### Self-protection of the first aider:

Use personal protection equipment.

#### 4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

Adjust to the environment

##### Unsuitable extinguishing media:

There are no restrictions on extinguishing agents for this mixture

#### 5.2. Special hazards arising from the substance or mixture

Contains combustible substance. Vapors are heavier than air and spread along floors. Explosive mixtures with air are possible even at normal temperatures. Watch out for flashback. In case of fire hazardous combustion gases or vapors possible.

##### Hazardous combustion products:

In case of fire: Gases/vapours, toxic

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

##### Personal precautions:

Remove persons to safety. Do not inhale vapors / aerosols. Special danger of slipping by leaking/spilling product. Use personal protection equipment.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Feb 2026

Print date: 2 Mar 2026

Version: 2



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 4/10

## Exakt Tableclean fresh

### 6.1.2. For emergency responders

#### Personal protection equipment:

Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

#### Advices on safe handling:

Wear personal protection equipment (refer to section 8). Avoid: Inhalation of vapours or spray/mists Eye contact

#### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
WEL (GB)	<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	① 10 ppm (67.5 mg/m <sup>3</sup> ) ② 15 ppm (101.2 mg/m <sup>3</sup> )
IOELV (EU)	<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	① 10 ppm (67.5 mg/m <sup>3</sup> ) ② 15 ppm (101.2 mg/m <sup>3</sup> )
WEL (GB)	<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6	① 1,000 ppm (1,920 mg/m <sup>3</sup> )
IOELV (EU)	<b>butanone</b> CAS No.: 78-93-3 EC No.: 201-159-0	① 200 ppm (600 mg/m <sup>3</sup> ) ② 300 ppm (900 mg/m <sup>3</sup> )
WEL (GB)	<b>butanone</b> CAS No.: 78-93-3 EC No.: 201-159-0	① 200 ppm (600 mg/m <sup>3</sup> ) ② 300 ppm (899 mg/m <sup>3</sup> )

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Feb 2026

Print date: 2 Mar 2026

Version: 2



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 5/10

## Exakt Tableclean fresh

### 8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① Parameter ② Test material ③ Time of sampling: ④ Remark
BMGV (GB) from 3 Jan 1900	<b>butanone</b> CAS No.: 78-93-3 EC No.: 201-159-0	70 µmol/L	① butan 2-one ② urine ③ end of exposure or end of shift

### 8.1.3. DNEL-/PNEC-values

No data available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No data available

#### 8.2.2. Personal protection equipment

##### Eye/face protection:

Eye glasses with side protection EN 166

##### Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

##### Respiratory protection:

Respiratory protection necessary at: aerosol or mist formation Filter type: A2 P2

#### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** colourless

**Odour:** scented

**flammability:** No data available

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	6		
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	No data available		
Flash point	No data available		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	1.3 - 15 %		② Ethanol
Vapour pressure	No data available		
Vapour density	No data available		
Density	≈ 1 g/cm <sup>3</sup>	23 °C	
Bulk density	not applicable		
Water solubility	miscible		
Dynamic viscosity	No data available		
Kinematic viscosity	No data available		

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Feb 2026

Print date: 2 Mar 2026

Version: 2



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 6/10

## Exakt Tableclean fresh

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Explosive mixtures with air are possible on intense heating.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with: metals, light metals, metal alloys. It can develop: hydrogen. Violent reactions possible with: alkalis, metal oxides.

Oxidizing agent

### 10.4. Conditions to avoid

Avoid high temperatures or direct sunlight.

### 10.5. Incompatible materials

Plastics made of polystyrene (PS), polyvinyl chloride (PVC), polyurethane (PU), polyethylene (PE) and polypropylene (PP)

### 10.6. Hazardous decomposition products

No data available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6
<b>LD<sub>50</sub> oral:</b> 2,410 mg/kg (Mouse)
<b>LD<sub>50</sub> dermal:</b> 2,764 mg/kg (Rabbit)
<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6
<b>LD<sub>50</sub> oral:</b> 10,470 mg/kg (Ratte)
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Kaninchen)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> 51 mg/L 4 h (Ratte)
<b>Alcohols, C12-14, ethoxylated</b> CAS No.: 68439-50-9 EC No.: 500-213-3
<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg
<b>(R)-p-mentha-1,8-diene</b> CAS No.: 5989-27-5 EC No.: 227-813-5
<b>LD<sub>50</sub> oral:</b> 2,000 mg/kg (Ratte) OECD 423
<b>LD<sub>50</sub> dermal:</b> 5,000 mg/kg (Kaninchen)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Causes serious eye irritation.

#### Respiratory or skin sensitisation:

Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Feb 2026

Print date: 2 Mar 2026

Version: 2



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 7/10

## Exakt Tableclean fresh

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

Based on available data, the classification criteria are not met.

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

Based on available data, the classification criteria are not met.

### Additional information:

No data available

### 11.2. Information on other hazards

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6
LC <sub>50</sub> : 1,300 mg/L 4 d (Sonnenbarsch) OECD 203
EC <sub>50</sub> : >100 mg/L 2 d (Daphnia magna)
ErC <sub>50</sub> : 1,101 mg/L 3 d (Algae/water plant)
<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6
LC <sub>50</sub> : 5,012 mg/L 2 d (Algae/water plant, Ceriodaphnia dubia (Wasserfloh))
EC <sub>50</sub> : 275 mg/L 3 d (Algae/water plant, Chlorella vulgaris) OECD- Prüfrichtlinie 201
<b>Alcohols, C12-14, ethoxylated</b> CAS No.: 68439-50-9 EC No.: 500-213-3
LC <sub>50</sub> : 1 - 10 mg/L 4 d (fish, Cyprinus carpio (Bakterien)) OECD Prüfrichtlinie 203
EC <sub>50</sub> : >1 - 10 mg/L 2 d (crustaceans, Daphnia magna (Big water flea)) OECD- Prüfrichtlinie 202
NOEC: 220 mg/L (Algae/water plant)
EC <sub>50</sub> : >1 - 10 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (Grünalge)) OECD- Prüfrichtlinie 201
EC <sub>50</sub> : 140 mg/L (Algae/water plant, Activated sludge)
NOEC: 10 mg/L (Algae/water plant, Lepidium sativum) OECD Prüfrichtlinie 208
<b>(R)-p-mentha-1,8-diene</b> CAS No.: 5989-27-5 EC No.: 227-813-5
LC <sub>50</sub> : 7 mg/L
LC <sub>50</sub> : 0.46 mg/L 4 d (fish, Danio rerio, Oncorhynchus mykiss, Lepomis macrochirus, Pimephales promelas, Oryzias latipes, Leuciscus idus)
EC <sub>50</sub> : 0.25 mg/L 2 d (Algae/water plant, Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum))
EC <sub>50</sub> : 0.214 mg/L 3 d (Algae/water plant, Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum))
EC <sub>50</sub> : 0.688 mg/L 4 d (fish, Pimephales promelas) OECD Guideline 203 (Fish, Acute Toxicity Test)
EC <sub>50</sub> : 0.307 mg/L 2 d (crustaceans, Daphnia magna)
NOEC: 0.09 mg/L 2 d (Algae/water plant, Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum))
NOEC: 0.08 mg/L 28 d (fish, fish spp.) OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)
NOEC: 0.08 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)
ErC <sub>50</sub> : 0.32 mg/L (Algae/water plant)
LOEC: 0.19 mg/L
LOEC: 0.173 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)
<b>butanone</b> CAS No.: 78-93-3 EC No.: 201-159-0
LC <sub>50</sub> : 2,993 mg/L 4 d (fish, Pimephales promelas) OECD Prüfrichtlinie 203
EC <sub>50</sub> : 308 mg/L 2 d (crustaceans, Daphnia magna) OECD-Prüfrichtlinie 202

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Feb 2026

Print date: 2 Mar 2026

Version: 2



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 8/10

## Exakt Tableclean fresh

### Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6
<b>Biodegradation:</b> Yes, rapidly
<b>butanone</b> CAS No.: 78-93-3 EC No.: 201-159-0
<b>Biodegradation:</b> Yes, rapidly

### 12.3. Bioaccumulative potential

<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6
<b>Log K<sub>OW</sub>:</b> = 1
<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6
<b>Log K<sub>OW</sub>:</b> -0.35
<b>Bioconcentration factor (BCF):</b> 0.66
<b>(R)-p-mentha-1,8-diene</b> CAS No.: 5989-27-5 EC No.: 227-813-5
<b>Log K<sub>OW</sub>:</b> 4.5
<b>Bioconcentration factor (BCF):</b> 32
<b>butanone</b> CAS No.: 78-93-3 EC No.: 201-159-0
<b>Log K<sub>OW</sub>:</b> 0.3

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6
<b>Results of PBT and vPvB assessment:</b> —
<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6
<b>Results of PBT and vPvB assessment:</b> —
<b>Alcohols, C12-14, ethoxylated</b> CAS No.: 68439-50-9 EC No.: 500-213-3
<b>Results of PBT and vPvB assessment:</b> —
<b>(R)-p-mentha-1,8-diene</b> CAS No.: 5989-27-5 EC No.: 227-813-5
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>butanone</b> CAS No.: 78-93-3 EC No.: 201-159-0
<b>Results of PBT and vPvB assessment:</b> —

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

07 06 01 *	(07) WASTES FROM ORGANIC CHEMICAL PROCESSES (06) Wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics (01 *) aqueous washing liquids and mother liquors
20 01 29 *	(20) MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS (01) separately collected fractions (except 15 01) (29 *) Detergents containing hazardous substances

\*: Evidence for disposal must be provided.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Feb 2026

Print date: 2 Mar 2026

Version: 2



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

Page 9/10

## Exakt Tableclean fresh

### Waste code packaging

#### Remark:

Plastic packaging

### Waste treatment options

#### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Authorisations:

Labelling for contents according to regulation (EC) No. 648/2004

non-ionic surfactants <5%

perfumes. Limonene

#### 15.1.2. National regulations

No data available

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1. Indication of changes

No data available

### 16.2. Abbreviations and acronyms

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Feb 2026

Print date: 2 Mar 2026

Version: 2

Page 10/10



REIN ABER RICHTIG

E.MAYR REINIGUNGSTECHNIK

## Exakt Tableclean fresh

### 16.3. Key literature references and sources for data

Substance name	Type	source of supply
(R)-p-mentha-1,8-diene CAS No.: 5989-27-5 EC No.: 227-813-5	LC <sub>50</sub> ; EC <sub>50</sub> ; NOEC; LOEC	Source: European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	Calculation method.
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information	
EUH066	Repeated exposure may cause skin dryness or cracking.

### 16.6. Training advice

No data available

### 16.7. Additional information

The information is based on our current level of knowledge and is used to describe the product with regard to the safety precautions to be taken. They do not represent a guarantee of the properties of the product described.

It is the responsibility of the recipient of our product to observe existing laws and regulations.