according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SANET PERFECT 2 X 5 L UFI : FT84-A0FM-P00H-DGVM

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH

Rheinallee 96 55120 Mainz

Telephone : +49613196403 Telefax : +4961319642414

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

### 1.4 Emergency telephone number

Vergiftungsinformationszentrale für Österreich Tel. 01/406 43 43-0

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

P337 + P313

If eye irritation persists: Get medical advice/

attention.

Safety data sheet available on request.

#### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Citric acid	77-92-9 201-069-1 607-750-00-3 01-2119457026-42	STOT SE 3; H335 Eye Irrit. 2; H319	>= 5 - < 10
methanesulphonic acid	75-75-2 200-898-6 607-145-00-4 01-2119491166-34	Skin Corr. 1B; H314 Met. Corr. 1; H290 Acute Tox. 4; H302 Acute Tox. 4; H312 STOT SE 3; H335 Eye Dam. 1; H318  specific concentration limit Skin Corr. 1B; H314 5 - 100 % Eye Dam. 1; H318 3 - < 5 % Skin Irrit. 2; H315 3 - < 5 % Eye Irrit. 2; H319 1 - < 3 % Skin Irrit. 2; H315 1 - < 3 %	>= 2 - < 3

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Irritation

Risks : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

Do not allow run-off from fire fighting to enter drains or water

firefighting

Hazardous combustion products : No hazardous combustion products are known

courses.

## 5.3 Advice for firefighters

Special protective equipment for :

firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application

area.

Advice on protection against fire :

and explosion

Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Store in original container. Keep container tightly closed in a dry and

well-ventilated place. Store at room temperature in the original

container.

Further information on storage

stability

No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

Specific use(s) : Cleaning agent

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5l/ Art.Nr.: 3777-10l

 Version 4.17
 Revision Date 13.03.2025
 Print Date 05.09.2025

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
methanesulphonic acid	Workers	Inhalation	Long-term local effects	2,89 mg/m3
	Workers	Inhalation	Long-term systemic effects	19,44 mg/kg
	Workers	Skin contact	Long-term systemic effects	19,44 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,44 mg/kg
	Consumers	Inhalation	Acute systemic effects	1,44 mg/kg
	Consumers	Skin contact	Long-term systemic effects	8,33 mg/kg
	Workers	Inhalation	Long-term systemic effects	6,76 mg/m3
	Consumers	Ingestion	Long-term systemic effects	8,33 mg/kg
	Consumers	Inhalation	Long-term local effects	1,73 mg/m3
	Workers	Inhalation	Long-term exposure	0,7 mg/m3
	Consumers	Inhalation	Long-term local effects	0,42 mg/m3

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value		
Citric acid, citric acid	Fresh water	0,44 mg/l		
	Marine water	0,044 mg/l		
	STP	> 1000 mg/l		
	Fresh water sediment	34,6 mg/kg		
	Marine sediment	3,46 mg/kg		
	Soil	33,1 mg/kg		
methanesulphonic acid	Fresh water	0,012 mg/l		
	Marine water	0,0012 mg/l		
	Fresh water sediment	0,0251 mg/kg		
	Soil	0,00183 mg/kg		

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

Intermittent use/release	0,12 mg/l
Sewage treatment plant	100 mg/l

#### 8.2 Exposure controls

Personal protective equipment

Eye/face protection : If splashes are likely to occur, wear:

Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl

rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if,

accordingly to the recommendations of the producer, guarantee the

same level of protection.

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : red

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

Odour characteristic Melting point/freezing point No data available Boiling point/boiling range No data available Flammability (solid, gas) No data available Flammability (liquids) : No data available Lower explosion limit No data available Upper explosion limit No data available does not flash Flash point Ignition temperature No data available Decomposition temperature No data available ca. 0,7, 100 % pΗ

at 20 °C

Viscosity, dynamic : No data available
Viscosity, kinematic : No data available

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n- : No data available

octanol/water

Vapour pressure : No data available

Density : ca. 1,048 g/cm3 at 20 °C

Relative density : No data available
Relative vapour density : No data available
Particle characteristics : No data available

### 9.2 Other information

none

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions.

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

10.5 Incompatible materials

Materials to avoid : No data available

# 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

**Acute toxicity** 

Acute toxicity : Not Rated

Components:

Citric acid

77-92-9:

Acute oral toxicity : LD50 Oral (Mouse): 5.400 mg/kg

Method: OECD Test Guideline 401

LD50 Oral (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

methanesulphonic acid

75-75-2:

Acute oral toxicity : LD50 (Rat): 200 mg/kg

LD50 (Rat): 649 mg/kg

LD50 (Rat): > 300 - 2.000 mg/kg

Acute inhalation toxicity : LC0 (Mouse): > 1,88 mg/l

Exposure time: 1 h

LC0 (Rat): 0,74 mg/l Exposure time: 6 h

Acute dermal toxicity : LD50 (Rabbit): > 1.000 - 2.000 mg/kg

Skin corrosion/irritation

Product:

Remarks : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

**Components:** 

methanesulphonic acid

75-75-2:

Result : Causes severe burns.

Serious eye damage/eye irritation

**Product:** 

Remarks : Causes serious eye irritation.

**Components:** 

Citric acid

77-92-9:

Result : Eye irritation

methanesulphonic acid

75-75-2:

Result : Causes serious eye damage.

Respiratory or skin sensitisation

**Product:** 

Remarks : No data available

**Components:** 

Citric acid

77-92-9:

Result : Does not cause skin sensitisation.

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

Citric acid

77-92-9:

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

Species : Rat

 NOAEL
 : 4.000 mg/kg

 LOAEL
 : 8.000 mg/kg

Application Route : Oral Exposure time : 10 d

Aspiration toxicity : Not Rated

#### 11.2 Information on other hazards

**Further information** 

**Product:** 

Remarks : No data available

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

Citric acid, citric acid

77-92-9:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.535 mg/l

Exposure time: 24 h Test Type: static test

EC50 (Daphnia magna (Water flea)): ca. 120 mg/l

Exposure time: 72 h

Toxicity to algae/aquatic plants : NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l

Exposure time: 8 Days Test Type: static test

Toxicity to microorganisms : (Pseudomonas putida): > 10.000 mg/l

Exposure time: 16 h

methanesulphonic acid

75-75-2:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l

Exposure time: 96 h
Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 10 - 100

mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies

(comply) with the biodegradability criteria as laid down in Regulation

(EC) No. 648/2004 on detergents.

**Components:** 

Citric acid, citric acid

77-92-9:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 % Exposure time: 28 d Method: OECD 301 B

Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 19 d Method: OECD 301 E

Biochemical Oxygen Demand

(BOD)

526 mg/g

Chemical Oxygen Demand

(COD)

728 mg/g

ThOD : 0,75 g/g

methanesulphonic acid

75-75-2:

Biodegradability : Result: rapidly biodegradable

Biodegradation: > 99 % Exposure time: 28 d

12.3 Bioaccumulative potential

Components:

Citric acid, citric acid

77-92-9:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

methanesulphonic acid

75-75-2:

Partition coefficient: n-

octanol/water

log Pow: -2,38

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

#### 12.4 Mobility in soil

#### **Components:**

#### methanesulphonic acid

75-75-2:

Distribution among : Koc: 1

environmental compartments Remarks: Highly mobile in soils

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This mixture contains no substance considered to be persistent,

bioaccumulating and toxic (PBT).. This mixture contains no

substance considered to be very persistent and very bioaccumulating

(vPvB).

**Components:** 

Citric acid, citric acid

77-92-9:

Assessment : This substance is not considered to be persistent, bioaccumulating

and toxic (PBT).. This substance is not considered to be very

persistent and very bioaccumulating (vPvB).

### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Waste Code European Waste Catalogue

20 01 29\*

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities.

# **SECTION 14: Transport information**

# 14.1 UN number or ID number ADR

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

**ADR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

#### 14.4 Packing group

**ADR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

#### 14.5 Environmental hazards

**ADR** 

Not dangerous goods

**IMDG** 

Not regulated as a dangerous good

IATA

Not dangerous goods

## 14.6 Special precautions for user

Remarks Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and

chemicals

: Not applicable the Council concerning the export and import of dangerous

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

according to Regulation (EC) No. 1907/2006, as amended





# SANET PERFECT 2 X 5 L

Art.Nr.: 3694-51/ Art.Nr.: 3777-101

Revision Date 13.03.2025 Print Date 05.09.2025 Version 4.17

TA Luft List (Germany) Total dust: Not applicable

Inorganic substances in powdered form: Not applicable

Inorganic substances in vapour or gaseous form: : portionClass 3:

Organic Substances: : portionClass 1: 10,91 % Carcinogenic substances: Not applicable

Mutagenic: Not applicable

Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: < 0,01 %

according to Detergents

Regulation EC 648/2004

<5% anionic surfactants, non-ionic surfactants, perfumes

GISBAU (D) : GS 35

#### 15.2 Chemical safety assessment

#### **SECTION 16: Other information**

#### Full text of H-Statements

H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin.

Causes severe skin burns and eye damage. H314

Causes serious eye damage. H318 Causes serious eye irritation. H319 H335 May cause respiratory irritation.

Full text of other abbreviations

Acute Tox. Acute toxicity Eye Dam. Serious eye damage Eye Irrit. Eye irritation Corrosive to metals Met. Corr. Skin Corr. Skin corrosion

STOT SE Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for

according to Regulation (EC) No. 1907/2006, as amended





# **SANET PERFECT 2 X 5 L**

Art.Nr.: 3694-5I/ Art.Nr.: 3777-10I

Version 4.17 Revision Date 13.03.2025 Print Date 05.09.2025

Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Further information** 

Classification of the mixture:

Classification procedure:

Eye Irrit. 2

H319

On basis of test data.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

500000003467